









Our Mission

At Enmach Industries we strive to manufacture and supply a range of products for the Recreational and Agricultural markets that will exceed our customers' needs and expectations. We endeavour to improve the quality of life of our customers and employees and to help each one achieve personal success.

Our Vision

It is our vision to be market leaders in the Recreational and Agricultural markets through the cultivation of long term relationships with our customers and suppliers, which lead to a continual cycle of growth and commitment and result in an atmosphere of ongoing improvement.

Our Values

As a company we value respect, honesty, trust, transparency and fairness which we display and look for in employees, customers and suppliers involved with our business.

We are responsible to our customers, to our valued employees and their families, and to the environment and society we inhabit, to provide quality, stability, safety and security to each and everyone's daily pathways.



WELCOME TO THE

Enmach Industries Product Guide

Welcome to our Poly Product Guide 2013, Edition 2, Valid October 2013, updating and introducing new products to our range of high quality Rotational Moulded Products.

Enmach Products are all Australian made with Australian materials by an Australian owned company. Enmach Products are manufactured from the highest quality materials resulting in products that are strong, lightweight, UV resistant and exceptionally durable to withstand the harsh nature of Australia's outback conditions.

Enmach Industries has a research and development team that understands what you, the customer wants and is constantly designing new innovative products that will serve you for a long time making everyday life easier.





POLY AGRIPRODUCTS

AG2 - AG12



POLY LAWNS PRODUCTS

AG12 - AG19



POLY AQUA PRODUCTS

AG20 - AG24

POLY PRODUCT ADVANTAGES

Enmach Products are manufactured from the highest quality food grade polyethylene, conforming to Australian Standards. These products are strong, lightweight, UV resistant and exceptionally durable.

WARRANTY

All our products are guaranteed against faulty workmanship for a period of 12 months from date of purchase.

PRODUCT SPECIFICATIONS

All specifications are subject to change without notice in line with ongoing improvements.

SIZES

All sizes, measurements and capacities throughout this brochure are approximate due to the variable shrinkage nature of polyethylene during manufacture.

COLOUR

All colours shown are a guide only.

PLACING ORDERS

We have a base of approximately 1200 distributors. Contact Enmach on Freecall 1800 502 267 for your nearest distributor.

FREIGHT DETAILS

Freight free to your distributor unless otherwise specified.

PRICING AND GST

All prices specified are recommended only and are subject to change without notice. All prices include GST.

DISCLAIMER

All recommendations in this catalogue are general in nature and are intended as a guide only. All customers must make their own investigations as to whether Enmach Products are suitable for specific needs.









Are you looking for a better solution to your grain, fertiliser and dry goods storage? LOOK NO FURTHER!

Poly Silos can provide optimum storage solutions with their proven, safe, and easy-to-use poly products. With their incredible durability and innovative capabilities Poly Silos are a flexible and long-lasting storage option. The Poly Silo product range, which includes the Stakka Silo, Multi-feeder Silo, and the Multi Silo, are used in a diverse range of applications around Australia for storing primary products & transportation.

The Stakka Silo is ideal as an intermediate bulk container (IBC) for fertiliser storage, perfect for stock feed and grain holding, and an optimal solution for bulk storage of wet liquids and dry goods. Couple your silo with a Grainline Auger and it can be easily used by any farmer as a field feeder or field bin on the property. Poly Silos are also commonly used as containers for chemicals, material handling bins for food, and for a variety of specialty products.

Poly Silos are utilised by industry leaders in agricultural and farming sectors and in industrial manufacturing plants as the perfect storage option; now it is time for you to discover the Poly advantage for yourself. Feel secure knowing that your investments are well-protected with the long-lasting Poly Silo storage solution.

All products brought to you by Poly Silos have a 20-year plus life span, are made from UV stabilised virgin food-grade polyethylene meeting standard AS 2007:1999 plastic materials suitable

for food contact use. Poly Silos produce minimal sweating and are fully weather sealed. All the storage silos are made with a galvanised


steel frame fitted and are fitted with stainless-steel outlets and a remote opening lid. Poly

Silos are easy clean, do not rust and are ideal for all types

of product whether wet or











The harsh Australian climate can have a devastating impact on the equipment we use to maintain our outdoor occupation and lifestyle. Enmach Industries has used Polyethylene to reinvent products usually made of materials such as steel, aluminum and fiberglass to extend the life of everyday items. Enmach Industries' poly products are lighter, have one of the worlds best UV protection ratings, resist rust and have compounded colour that won't fade or scratch off. Ultimately, Enmach Industries has created the poly advantage – unbeatable durability.

Enmach Industries' new and Innovative Poly Multi Silo System has revolutionized grain and fertilizer storage. Traditional Steel silos are susceptible to rust and leave no room for capacity expansion. The Poly Multi Silo offers an innovative expandable system, allowing you to grow your silo with your storage needs and give you peace of mind by removing the threat of degeneration through rusting. The poly silo bin sits in a galvanized steel frame with a stainless steel knife gate at the base of the silo and is delivered fully assembled. The Poly Multi Silo's incredible durability and innovative growth capabilities offer a flexible and long lasting storage solution.

Ennach Industries has a range of storage options available

There is the 1.6 cubic metre STAKKA SILO, the 4.3 cubic metre MULTI FEEDER and the POLY MULTI SILO system which includes the 3.5 tonne to 46 tonne silos.





Why not contact the friendly sales team at Enmach Industries


Email: sales@enmachind.com.au

Freecall: 1800 502 267 Web: www.polysilos.com

AND FIND OUT MORE ABOUT THIS GREAT PRODUCT TODAY!









PSS POLY STAKKA SILO

- 1.6 Cubic Metre/nom 1 Tonne Storage Capacity
- Polyethylene
- Fork Liftable Storage Option
- Extendable Leg
- Stainless Steel Outlet Gate
- Outlet Clearance Height 350mm Raise to 550mm
- Versatile Transportable
- 1200mm (Sq) x 2200mm (High)
- Liquid Storage Option Available
- Weather Proof Hinged Lid

PART NO	DESCRIPTION	RRP (INC GST)
PSS	POLY STAKKA SILO	POA



PMF POLY MULTI-FEEDER

- Standard Size: 4.2 Cubic Metre Storage
- Polyethylene
- Adjustable Outlet Flow Rate
- Expandable Storage
- · Weather Shield
- Suitable for Grain, Pellets and Meal

PART NO	DESCRIPTION	RRP (INC GST)
PMF	POLY MULTI-FEEDER	POA



PSC POLY STOR-CUBE

- Sizing 1150mm x 1125mm x 2250mm
- Capacity 1.6 Cubic Metre / 1 Tonne
- Polyethylene Construction
- Stainless Steel Weather Proof Slide Gate
- 450mm High Recess for Feed Bucket
- 4 Side Forklift and Pallet Jack Access Retainer Frame below Base
- Weather Proof Hinged Lid

PART NO	DESCRIPTION	RRP (INC GST)
PSC	POLY STOR-CUBE	POA





PSSGB FIELD BIN - 1.6m³/16 Bag

Combine the popular Stakka Silo with a time saving Honda powered Grainline Auger perfect for field work.

PART NO	DESCRIPTION	RRP (INC GST)
PSSGB	FIELD/GROUPER BIN	POA





PSRS SILO ON STAND

Raise Silos onto 3000mm access frame for truck and ute access.

PART NO	DESCRIPTION	RRP (INC GST)
PSRS	3000 CLEARANCE FRAME	POA





PMS POLY MULTI-SILO

- Expandable System
- Galvanised Steel Frame
- Long Lasting Poly Silo Bin
 Minimal Sweating
- Fully Weather Sealed
- Polyethylene
- No Rust
- Suitable for Feed, Grain & Fertilizer

	1.8m DIAME	TER SYSTEM	
TONNES	VOLUME M3	DIAMETER	HEIGHT
3.5 T nom	4.2m³	1800mm	2800mm
4.5 T nom	5.45m ³	1800mm	3550mm
6 T nom	7.35m³	1800mm	4300mm
7.5 T nom	9.25m³	1800mm	5100mm
9 T nom	11.15m³	1800mm	5900mm
10.5 T nom	13.05m³	1800mm	6600mm
	2.7m DIAME	TER SYSTEM	
TONNES	VOLUME M3	DIAMETER	HEIGHT
6 T nom	7.2m³	2700mm	3200mm
10 T nom	13.11m³	2700mm	4300mm
15 T nom	19.28m³	2700mm	5500mm
20 T nom	25.45m ³	2700mm	6600mm
25 T nom	31.62m ³	2700mm	7700mm
		TER SYSTEM	
TONNES	VOLUME M3	DIAMETER	HEIGHT
28 T nom	38m ³	3400mm	6200mm
46 T nom	62m ³	3400mm	8900mm
2.7m DIAMETER SYSTEM WITH 1800mm CLEARANCE FOR FERTILIZER SPREADER ACCESS			
TONNES	VOLUME M3	DIAMETER	HEIGHT
6 T nom	7.2m ³	2700mm	4500mm
10 T nom	13.11m ³	2700mm	5600mm
15 T nom	19.28m³	2700mm	6800mm
2.7m DIAMETER SYSTEM WITH 3000mm CLEARANCE FOR TRUCK ACCESS			
TONNES	VOLUME M3	DIAMETER	HEIGHT
6 T nom	7.2m ³ 13.11m ³	2700mm	5700mm
10 T nom	13.11m ³	2700mm	6800mm
15 T nom		2700mm	8000mm
		FEEDER	
TONNES	VOLUME M3	DIAMETER	HEIGHT
3.5 T nom	4.2m³	1800mm	3200mm
Round Trough	500L 140L	1300mm	500mm
Long Trough		2500mm Long	500mm Wide
STAKKA-SILO			
TONNES	VOLUME M3	DIAMETER	HEIGHT
1 T nom	1.6m ³	1200mm x 1200mm	2200mm
Field/Grouper Bin	1.6m³ / 16 Bag	1200mm x 1200mm	2450mm
		-CUBE	
TONNES	VOLUME M3	DIAMETER	HEIGHT
1 T nom	1.6m ³	1150mm x 1125mm	2250mm



PLEASE CALL OUR SILO TEAM ON 1800 502 267

FOR UP TO DATE PRICING ON **OUR SILO RANGE!**





PRVDBB DRAW BAR BOX

- · Heavy Duty Storage Container
- · Roto Moulded Polyethylene
- Rust Proof
- UV Stabilised
- Lockable
- Dust & Water Resistant
- · Available in Grey & Black, other colours POA
- Size: L x 1200mm, W x 600mm, H x 500mm

PART NO	DESCRIPTION	RRP (INC GST)
PRVDBB	DRAW BAR BOX	668.00



PRVDBSWB DRAW BAR BOX SPARE WHEEL CUTOUT

Lockable

UV Stabilised

UV Stabilised

Lockable

Rust Proof

Rust Proof

- Heavy Duty Storage Container
- · Roto Moulded Polyethylene
- Rust Proof
- UV Stabilised
- Lockable
- Dust & Water Resistant
- · Available in Grey & Black, other colours POA
- Size: L x 1200mm, W x 600mm, H x 500mm

PART NO	DESCRIPTION	RRP (INC GST)
PRVDBSWB	DRAW BAR BOX, SPARE WHEEL CUTOUT	679.00



PRVSC664 STORAGE CONTAINER

- · Heavy Duty Storage Container
- · Parallel Opening Lid
- Approximate Usable Storage 140 Litres
- Dust & Water Resistant
- · Roto Moulded Polyethylene
- Available in Grey & Black, other colours POA
- Size: L x 600mm, W x 600mm, H x 400mm

PART NO	DESCRIPTION	RRP (INC GST)
PRVSC664	140L STORAGE CONTAINER	418.00



PRVSC9454 STORAGE CONTAINER

- · Heavy Duty Storage Container
- Parallel Opening Lid
- Approximate Usable Storage 160 Litres
- Dust & Water Resistant
- · Roto Moulded Polyethylene
- · Available in Grey & Black, other colours POA
- Size: L x 900mm, W x 450mm, H x 400mm

PART NO	DESCRIPTION	RRP (INC GST)
PRVSC9454	160L STORAGE CONTAINER	489.00





PRVSC1262 STORAGE CONTAINER

- Heavy Duty Storage Container
- · Parallel Opening Lid
- Approximate Usable Storage 140 Litres
- Dust & Water Resistant
- · Roto Moulded Polyethylene
- · Available in Grey & Black, other colours POA
- Size: L x 1200mm, W x 600mm, H x 200mm

PART NO	DESCRIPTION	RRP (INC GST)
PRVSC1262	140L STORAGE CONTAINER	553.00





PRVSC1264 STORAGE CONTAINER

Lockable

Rust Proof

- Heavy Duty Storage Container
- Parallel Opening Lid
- Approximate Usable Storage 280 Litres
- Dust & Water Resistant
- · Roto Moulded Polyethylene
- · Available in Grey & Black, other colours POA
- Size: L x 1200mm, W x 600mm, H x 400mm

PART NO	DESCRIPTION	RRP (INC GST)
PRVSC1264	280L STORAGE CONTAINER	575.00



PRVSC29363 LONG STORAGE BOX

- Lockable
- Weather Proof
- Polyethylene Construction
- Rust Proof
- · Roof or Rack mount, simply drill flange & bolt
- Available in Grey & Black. Other colours POA
- Size: 2900mm x 360mm x 300mm

	DESCRIPTION	RRP (INC GST)
PRVSC29363	LONG STORAGE BOX	450.00



PRVSC195363 STANDARD STORAGE BOX

- Lockable
- · Polyethylene Construction
- Weather Proof
- · Roof or Rack mount, simply drill flange & bolt
- Rust Proof
- · Available in Grey & Black. Other colours POA
- Size: 1950mm x 360mm x 300mm

PART NO	DESCRIPTION	RRP (INC GST)
PRV195363	STANDARD STORAGE BOX	374.00



PT30 30L POLY TUB

- Roto Moulded Polyethylene
- Moulded Lid
- Strong Construction
- 330mm Length x 250mm Width x 400mm Depth

PART NO	DESCRIPTION	RRP (INC GST)
PT30	POLY TUB 30L	66.00



PT70 70L POLY TUB

- Roto Moulded Polyethylene
- Strong Construction
- 815mm Length x 330mm Width x 315mm Depth

PART NO	DESCRIPTION	RRP (INC GST)
PT70	POLY TUB 70L	75.00



PT75 75L POLY TUB

- Roto Moulded Polyethylene
- Strong Construction
- 720mm Length x 430mm Width x 250mm Depth

PART NO	DESCRIPTION	RRP (INC GST)
PT75	POLY TUB 75L	80.00



PT125 125L POLY BIN WITH LID

- Roto Moulded Polyethylene
- Strong Construction
- 450mm Diameter x 800mm High

PART NO	DESCRIPTION	RRP (INC GST)
PT125	POLY BIN WITH LID 125L	155.00



PB500 500L PICKING BIN

- Fork Liftable Picking Bin
- Double Skin Body
- Rugged Construction
- Air Vent Holes

Moulded Lid

• 1125mm Square x 575mm Deep







DK DOG KENNEL

- Large size:- (800L x 700W x 1100H)
- Weather proof
- UV stabilised
- Washable & hygienic
- · Available in beige & dark green
- · Moulded polyethylene

PART NO	DESCRIPTION	RRP (INC GST)
DK	DOG KENNEL	185.00





PS POLY SCOOP

- Hygienic
- Food-grade
- Tough, one-piece moulded construction
- No splinters
- · Available in green, yellow, blue, red and white
- 2.5kg

PART NO	DESCRIPTION	RRP (INC GST)
PS	POLY SCOOP	23.00



SMS375 HEIGHT GAIN SAFETY STEP

- Certified load testing to 150kg
- Fully recyclable
- Dual hand grips for ease of use
- Weighs 4.5 Kg
- Provision for company logo
- Stackable
- Can be secured to ute/toolbox
- Comes with replaceable rubber feet
- 500mm Square Base x 365mm High
- Work platform has permanent non-slip surface with anti-slip tape as an option

PART NO	DESCRIPTION	RRP (INC GST)
SMS375	HEIGHT GAIN SAFETY STEP	145.00



Experience THE POLY ADVANTAGE





PRODUCT GUIDE

POLY LAWN PRODUCTS AG15

KART FEATURES:

 Tipping features Moulded durable design • Rust resistant materials

• Bin - high density polyethylene

 Strong rugged construction • Chassis - Galvanised Steel

Superb stability

· User friendly

COLOURS AVAILABLE: RED LIGHT GREEN DARK GREEN YELLOW ORANGE

MARKARA

BLUE

MX2000 MAXI-KART 20 CU/FT - QUAD BIKE - SMALL TRACTOR

PART NO: MX2000

1.55m x 1.2m x .5m BIN SIZE:

20 CU/FT BIN CAPACITY: TRAILER WEIGHT: 57kg

400kg Spread CARRY WEIGHT:

20" x 7" x 8" ATV Tyre WHEELS:

High Speed Bearing (Not for Road Use) SPEED RATING:

TIPPING FEATURE: Tipping - No Tailgate

TOW SYSTEM: Standard - Double Clevis & Pin Option - 50mm Ball Hitch

PART NO	DESCRIPTION	RRP (INC GST)
MX2000/QNSW	MAXI-KART 20 CU/FT Queensland & New South Wales Price	990.00
MX2000/VTSWN	MAXI-KART 20 CU/FT Victoria, Tasmania, South Australia, Western Australia & Northern Territory Price	1100.00



MK1000 PART NO:

BIN SIZE: 1.2m x .9m x .35m

10 CU/FT BIN CAPACITY: 36kg TRAILER WEIGHT:

CARRY WEIGHT: 200kg Spread

WHEELS: 15" x 6" x 6" / 4 Ply Turf Tyre SPEED RATING: Low Speed Bearing - 12kph Tipping - With Tailgate TIPPING FEATURE: TOW SYSTEM: **Double Clevis and Pin**

PART NO	DESCRIPTION	RRP (INC GST)
MK1000/QNSW	MULTI-KART 10 CU/FT Queensland & New South Wales Price	495.00
MK1000/VTSWN	MULTI-KART 10 CU/FT Victoria, Tasmania, South Australia, Western Australia & Northern Territory Price	580.00

EK700 EZY-KART 7 CU/FT - RIDE ON MOWER

PART NO: EK700

BIN SIZE: 1.2m x .9m x .3m

7 CU/FT BIN CAPACITY: TRAILER WEIGHT: 20kg

CARRY WEIGHT: 150kg Spread 14" x 4" x 6" / 4 Ply Turf Tyre WHEELS:

Low Speed Bearing - 12kph SPEED RATING: TIPPING FEATURE: Tipping - No Tailgate TOW SYSTEM: **Double Clevis and Pin**

PART NO	DESCRIPTION	RRP (INC GST)
EK700/QNSW	EZY-KART 7 CU/FT Queensland & New South Wales Price	390.00
EK700/VTSWN	EZY-KART 7 CU/FT Victoria, Tasmania, South Australia, Western Australia & Northern Territory Price	445.00





EK700WS PULL-KART 7 CU/FT - STEERABLE HAND KART

EK700WS PART NO:

1.2m x .9m x .3m BIN SIZE:

7 CU/FT BIN CAPACITY: TRAILER WEIGHT: 30kg

200kg Spread CARRY WEIGHT:

4 of 14" x 4" x 6"/ 4 ply turf tyre WHEELS: SPEED RATING: Low Speed Bearing - 12kph

 4 Wheels · Safety Brake Steerable Stable

PART NO	DESCRIPTION	RRP (INC GST)
EK700WS	PULL-KART 7 CU/FT	660.00



DK800 DUO-KART

PART NO: DK800

BIN SIZE: 1.1m x .9m x .35m

BIN CAPACITY: 8 CU/FT TRAILER WEIGHT: 22kg

175kg Spread CARRY WEIGHT:

14" x 4" x 6" / 4 Ply Turf Tyre WHEELS: Low Speed Bearing 12kph SPEED RATING: TIPPING FEATURE: Tipping - No Tailgate

TOW SYSTEM: Double Clevis & Pin & Wheel Barrow System

- Dual purpose Kart
- Converts from tow behind trailer to a push kart in one easy step
- · Available in dark green only

PART NO	DESCRIPTION	RRP (INC GST)
DK800	DUO-KART 8 CU/FT	350.00







HK300 HANDI-KART 3 CU/FT - HANDI-KART

- · Handy garden kart
- 3CU/FT capacity
- Sturdy construction
- · Galvanised frame
- · Available in dark green only
- SIZE: 0.9m x 0.6m x 0.3m

PART NO	DESCRIPTION	RRP (INC GST)
HK300	HANDI-KART 3 CU/FT	180.00



FEATURES

Tank:
Lid:
• Drain: An Easily Accessible Drain Plug Makes Cleaning, Flushing & Emptying Easy
Storage: Lugs To Wrap Hose Around And For Lance Storage
• Calibrations: A Clear Indication Of The Liquid Volume Onhand Is Always Visible
• Pump: Delavan, 12 Volt, 3.81/min, 60psi Pump
Hose: 4m Of Quality 10mm Chemical Resistant Hose Is Fitted As Standard
• Leads: 4m Electrical Leads Are Fitted With An Inline Fuse And Battery Clips
• Lance:

MS200 MAXI-SPRAY

TANK SIZE: 750mm (L) x 580mm (W) x 580mm (H)

PART NO	DESCRIPTION	RRP (INC GST)
MS200	MAXI-SPRAY 200 LITRE SPRAY UNIT - COMPLETE	695.00



MS100 MULTI-SPRAY

TANK SIZE: 600mm (L) x 520mm (W) x 450mm (H)

PART NO	DESCRIPTION	RRP (INC GST)
MS100	MULTI-SPRAY 100 LITRE SPRAY UNIT - COMPLETE	560.00





MS50 MULTI-SPRAY

TANK SIZE: 600mm (L) x 520mm (W) x 260mm (H)

PART NO	DESCRIPTION	RRP (INC GST)
MS50	MULTI-SPRAY 50 LITRE SPRAY UNIT - COMPLETE	435.00



MS15 MINI-SPRAY

INCLUDES: 12 VOLT, 3.8 I/min, 40 psi PUMP

PART NO	DESCRIPTION	RRP (INC GST)
MS15	MINI-SPRAY 15 LITRE SPRAY UNIT - COMPLETE	355.00



STAH10 SPRAY HOSE

PART NO	DESCRIPTION	RRP (INC GST)
STAH10	10MM/580PSI SPRAY HOSE (PER METRE)	9.00



QRB SPRAY BOOM

PART NO	DESCRIPTION	RRP (INC GST)
QRB	QUICK RELEASE 2 METRE BOOM	195.00

TR50 / TR100 TURF ROLLERS

- Strong construction
- Water fillable
- Durable, galvanised handle
- 50 & 100 Litre sizes available
- · No assembly required
- Moulded poly rollers
- 10mm thick

PART NO	DESCRIPTION	RRP (INC GST)
TR100	TURF ROLLER 100 LITRES 800mm (L) x 450mm (D)	205.00
TR50	TURF ROLLER 50 LITRES 400mm (L) x 450mm (D)	175.00



TRTM TURF ROLLER TOW MOUNT KIT AKRK AERATOR KIT

- 3 Aerator Kits required for 50L Roller
- 5 Aerator Kits required for 100L Roller

PART NO	DESCRIPTION	RRP (INC GST)
TRTM	TURF ROLLER TOW MOUNT KIT	40.00
AKRK	AERATOR KIT - 1 x SPIKE RING / KIT	50.00











MFF QUICK-HITCH MOUNT KIT

- "M-F" Quick-Hitch Mower / Quad Bike Kit
- Mounts simply to most lawn tractors, Ride-on Mowers and Quad Bikes
- Enables 30 second change over of "M-F" Series attachments

PART NO	DESCRIPTION	RRP (INC GST)
MFF	"M-F" QUIK-HITCH MOWER KIT	165.00
MFQF	"M-F" QUIK-HITCH QUAD BIKE KIT	165.00


















MFMS15 MINI SPRAYER

*NEEDS "M-F" QUIK-HITCH MOUNT KIT TO ENABLE MOUNTING

TANK: UV stabilised, low profile tank for stability & good visibility.

LID: UV stabilised, locates positively, 150mm diameter.

DRAIN: An easily accessible drain plug makes cleaning, flushing &

emptying easy.

STORAGE: Lugs to wrap hose around and for lance storage.

CALIBRATIONS: A clear indication of the liquid volume onhand is always visible.

PUMP: 12 volt, 3.8L/min, 40psi pump.

HOSE: 4m of quality 10mm chemical resistant hose is fitted as

standard.

LEADS: 4m electrical leads are fitted with an inline fuse & battery clips.

LANCE: A spray lance is included featuring an adjustable nozzle to

suit varying applications.

PART NO	DESCRIPTION	RRP (INC GST)
MFMS15	15L QUIK-HITCH MOUNT SPRAY UNIT	525.00



SSRF SUN SHADE

*NEEDS "M-F" QUIK-HITCH MOUNT KIT TO ENABLE MOUNTING

- Mounts via "M-F" Series Quik-Hitch Frame
- · Polyethylene roof
- · Great shade for ride-on's

PART NO	DESCRIPTION	RRP (INC GST)
MFSS	SMALL POLY ROOF & "M-F" MOUNT LEGS 700mm x 1000mm x 170mm	250.00
MFSSL	LARGE POLY ROOF & "M-F" MOUNT LEGS 1100mm x 1450mm x 320mm	330.00
SSRF	SMALL POLY ROOF & ROPS MOUNT KIT 700mm x 1000mm x 170mm	250.00
SSRFL	LARGE POLY ROOF & ROPS MOUNT KIT 1100mm x 1450mm x 320mm	330.00






*NEEDS "M-F" QUIK-HITCH MOUNT KIT TO ENABLE MOUNTING

- Mounts via "M-F" Series Quik-Hitch Frame
- 30 kg capacity
- · Rust proof
- Handy carry unit for rear of ride-on's

PART NO	DESCRIPTION	RRP (INC GST)
MFCB	POLY CARRY BOX	205.00







MADUL.

SPECIFICATIONS FOR POLY RAINWATER TANKS

TANK FEATURES

- · Manufactured to comply with the following standards:- AS/NZS4020, AS 2070, AS/NZS 4766
- · Manufactured from UV stabilised polyethylene, tanks are tough and durable and able to withstand the harsh Australian sun
- · Poly Tanks do not rust or corrode, are impact resistant and long lasting
- 10 Year Warranty
- · Guaranteed one-piece tank construction ensures long term structural strength
- · Food Grade polyethylene is used giving you fibre, taste and odour free drinking water

ALL TANKS SUPPLIED WITH

- Inlet strainer
 BSP Outlets
 Overflow
 Outlet strainer
- Taps (More than 2000L 11/2" Outlet, 1" Gate Valve) (Less than 2000L 3/4" Ball Valve)

TANK STAND FEATURES (To Suit PT1050)

Strong all galvanised steel
 Fully supports tank
 500mm High


RAINWATER TANK INSTALLATION GUIDE

- The tank site must be flat and level, the area well compacted and free from any rocks, stones and sharp objects.
- Ensure that the prepared site is at least 600mm larger in diameter than the tank.
- A 75mm (3") base of compacted crusher dust may be used as a tank pad. A reinforced concrete slab is also acceptable and must be greater than the diameter of the tank.
- If a material other than concrete is used, a retaining wall or surround must be provided to prevent erosion.
- The overflow must be piped well clear of the tank to avoid undermining of the tank base.
- Ensure that a flexible hose of at least 300mm (12") is installed after the outlet valve to absorb any shocks or movement.
- * NOTE:- FAILURE TO PROPERLY INSTALL TANK AS PER INSTRUCTIONS WILL VOID WARRANTY

AVAILABLE COLOURS - *OTHER COLOURS AVAILABLE ON REQUEST

HERITAGE GREEN MIST GREEN BEIGE MOUNTAIN BLUE HERITAGE RED LIGHT GREY RIVER GUM SMOOTH CREAM MERINO WHEAT

OVERFLOW/OUTLET POSITION







PT1000 ROUND POLY RAINWATER TANK

- 1000 Litres / 220 Gallons
- 2050mm High x 900mm Diameter
- Range of Colours Available
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT1000	POLY RAINWATER TANK 1000L	POA



PT1050 POLY UNDEREAVE SLIMLINE TANK STS TANK STAND

- 1050 Litres / 230 Gallons
- 1560mm High x 750mm Wide x 1300mm Long
- Range of Colours Available
- Tank Stand: 500mm High (To suit PT1050)
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT1050	POLY UNDEREAVE SLIMLINE RAINWATER TANK 1050L	POA
STS	TANK STAND	340.00



PT3000 ROUND POLY RAINWATER TANK

- 3000 Litres / 660 Gallons
- 2050mm High x 1450mm Diameter
- Range of Colours Available
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT3000	POLY RAINWATER TANK 3000L	POA



PT3000SL SLIMLINE POLY RAINWATER TANK

- 3000 Litres / 792 Gallons
- Range of Colours Available
- 2500mm Long x 750mm Wide x 2070mm High
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT3000SL	POLY SLIMLINE RAINWATER TANK 5000L	POA





PT5000SQ ROUND/SQUAT POLY RAINWATER TANK

- 5000 Litres / 1100 Gallons
- 1550mm High x 2200mm Diameter
- · Range of Colours Available
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT5000SQ	POLY RAINWATER TANK 5000L	POA



PT5000SL SLIMLINE POLY RAINWATER TANK

- 5000 Litres / 1100 Gallons
- Range of Colours Available
- 2010mm High x 3290mm Long x 1020mm Width
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT5000SL	POLY RAINWATER TANK 5000L	POA



PT5100 ROUND POLY RAINWATER TANK

- 5100 Litres / 1130 Gallons
- Range of Colours Available
- 1930mm High x 1950mm Diameter
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT5100	POLY RAINWATER TANK 5100L	POA



PTJK MODULAR TANK JOINER KIT

- Kit Includes 2 Joiner Tubes & 4 Seals (To suit PT1000 - 1000L Tank)
- Joiner Tube System for Modular Water Tanks
- Range of Colours Available

PART NO	DESCRIPTION	RRP (INC GST)
PTJK	MODULAR TANK JOINER KIT	POA





PT10000 ROUND POLY RAINWATER TANK

- 10000 Litres / 2641 Gallons
- Range of Colours Available
- · 2250mm High x 2500mm Diameter
- INLET: 400mm diameter with QLD Health Anti Mosquito regulation S/S Mesh strainer
- OUTLET: 90mm Storm water pipe fitting with QLD Health Anti Mosquito regulation S/S Mesh strainer

PART NO	DESCRIPTION	RRP (INC GST)
PT10000	POLY RAINWATER TANK 10000L	POA



PT10000LCS 10000L CUP & SAUCER WATER TANK PT5000LCS 5000L CUP & SAUCER WATER TANK

- 10000 Litres / 2000 Gallons
- Range of Colours Available
- Extremely durable
- Tie deven luge en te
- Tie down lugs on tank
- Easy action float cover with all stainless steel fasteners no rust
- High / Low level inlets for filling at ground level or straight from windmill

PART NO	DESCRIPTION	RRP (INC GST)
PT10000LCS	10000L CUP & SAUCER TANK	POA
PT5000LCS	5000L CUP & SAUCER TANK	POA



PT500RT ROUND TROUGH

- 500 Litres / 110 Gallons
- Range of Colours Available

• 32mm saucer float valve

• 50mm drain plug in saucer

25mm inlet float valve

- Extremely durable
- Float Option Available
- 500mm High x 1300mm Diameter

PART NO	DESCRIPTION	RRP (INC GST)
PT500RT	500L ROUND TROUGH	260.00



PT140LT LONG TROUGH


• 140 Litres

- Easy Clean Sweep Out
- Range of Colours Available
- Extremely durable
- 1" Float valve, fully protected
- 2500 x 550 x 475
- · Double walled, water fillable for stability

PART NO	DESCRIPTION	RRP (INC GST)
PT140LT	140L LONG TROUGH	390.00



PC PUMP COVERS



PART NO	DESCRIPTION	RRP (INC GST)
PCS	PUMP COVER SMALL	95.00
PCL	PUMP COVER LARGE	125.00









FREECALL 1800 502 267

17 CHARLIE TRIGGS CRESCENT BUNDABERG QLD 4670

FACSIMILE: 07 4153 0900

EMAIL: sales@enmachind.com.au

www.enmachind.com.au